
FIG. 1



1/11

FIG. 2




FIG. 3

SETUP MESSAGE 214




FIG. 4

NETWORK DISCRIMINATION TABLE 222A

222-1	222-2	222-3
INPUT LINE NUMBER	TYPE OF INCOMING NETWORK	CONVERSION ADDRESS
0	PBX	
10	PVC NETWORK 131	
11	PVC NETWORK 132	
12	SVC NETWORK 133	
13	SVC NETWORK 134	
•		•
40	PUBLIC NETWORK	8000000

FIG. 5

ROUTING TABLE 223A

· · · · · · · · · · · · · · · · · · ·						
2	223-1 2	223-2 223	3–3 223	3-4 223-5	223-	6 223-7
		رے ر	رے			
CALLED	OUTPUT	LOGICAL	ADDRESS	CONVERSION	STATUS OF	
PARTY NUMBER	LINE NUMBER	OUTPUT LINE NUMBER	CONVERSION FLAG	ADDRESS	OUTGOING NETWORK	OUTGOING NETWORK
8BBBBBB	0	0	OFF		NORMAL	PBX
8CCCCCC	12	120	ON	03CCCCCCC	ABNORMAL	SVC NETWORK 133
8EEEEEE	11	110	OFF		NORMAL	PVC NETWORK 132
8CCCCCC	13	130	ON	090EEEEEEE	NORMAL	SVC NETWORK 134
8CCCCCC	10	100	OFF	·	NORMAL	PVC NETWORK 131
·	:	÷	:	÷	•	•
<u>:</u>	:	:			•	•
8AAAAAA	40	140	ON	090BBBBBBB	NORMAL	PUBLIC NETWORK

FIG. 6

NETWORK DISCRIMINATION TABLE 222B

222- 1	222-2	222-3
INPUT LINE NUMBER	TYPE OF INCOMING NETWORK	CONVERSION ADDRESS
20	PVC NETWORK 131	
21	PVC NETWORK 132	
22	SVC NETWORK 133	
23	SVC NETWORK 134	
·	•	:
30	PBX	

FIG. 7

ROUTING TABLE 223B

	223-1 2	223-2 223	3-3 223	-4 223-5	223-6	6 223-7
() ,	لے کے				
CALLED PARTY NUMBER	OUTPUT LINE NUMBER	LOGICAL OUTPUT LINE NUMBER	ADDRESS CONVERSION FLAG	CONVERSION	STATUS OF OUTGOING NETWORK	Type of Outgoing Network
8AAAAA	20	200	OFF		NORMAL	PVC NETWORK 131
8BBBBBB	21	210	OFF		NORMAL	PVC NETWORK 132
8BBBBBB	22	220	ON	045BBBBBBBB	NORMAL	SVC NETWORK 133
8BBBBBB	23	230	ON	090DDDDDDDD	NORMAL	PVC NETWORK 134
:	:		:		•	÷
8CCCCC	30	300	OFF		NORMAL	PBX
8EEEEEE	31	310	OFF		NORMAL	PBX

FIG. 8




FIG. 9






FIG. 10



8/11

die in the true and the

FIG. 11



9/11

FIG. 12




FIG. 13

